

Hodge Clemco



Hodge Clemco
Standard Blast Machines

Model 2452NC

The 2452 blast machine is the largest model in our standard range. It has an expendable abrasive capacity of 0.180 cubic metres (300kg of Jblast) with overall dimensions of 1320mm high x 850mm x 960mm. This machine offers twice the capacity of the 2040NC machine, making its use ideal on larger projects. Whilst this unit is readily portable it is commonly used on fixed blast room installations and other jobs where mobility is less important.

- Lay flat safe storage & transport
 - Applications: Wide variety of blasting work including steel, stone, alloys & wood
 - Abrasive Type: All commercially available dry abrasives excluding Soda and Calcium Carbonate.
 - Abrasive Metering Valve (P17C)
 - Precise Abrasive Flow Control
 - Long Life Valve Liner
 - Easy Adjustment
 - Optional remote grit start-stop operation
 - Optional tungsten lined valve available
 - Remote Control Valve (RMS100)
 - Fast Operation (1.25" port)
 - Heavy duty seals and gaskets
 - Quick exhaust operation
 - Spares kit available
 - All exhaust pipework fitted with wear-resistant fittings and inspection plugs
 - Optional RMS2000 (1.5" port) valve available
 - Optional remote emergency stop available
 - Clemco Coupling System
 - Robust fittings
 - Secure internal thread and gaskets
 - Double pin locking system in addition to main coupling 'horns'
 - Ease of fitting and assembly
 - Deadman System
 - Colour coded bulkhead fittings
 - Heavy duty connections
 - Durable kink resistant hoses
 - Abrasive Loading
 - Large concave filling area
 - Pop-Up valve 'umbrella guard'
 - Can be used with a wide range of Jblast, expendable & recyclable media
- Optional Features:
- Pressure regulator for accurate control of air pressure and blast results
 - Pot sieve to filter debris from recycled media
 - Pot lids for use in poor weather conditions
 - Various different grit valve options available



Please Contact sales@appliedtorque.co.uk for further information or to request a quote